ACS LABORATORY | CANNABIS & HEMP BEYOND COMPLIANCE
721 Cortaro Dr.
Sun City Center, FL 33573
www.acslab.com
DEA No. RA0571996
FL License # CMTL-0003
CLIA No. 10D1094068

CBD Living Water
Sample Matrix:
CBD/HEMP
Beverages/Liquid/Water
(Ingestion)

Certificate of Analysis

Compliance Test

Client Information:
CBD Living Water
226 N Maple St
Corona Ca, California 92878

Batch # 24264
Batch Date: 2024-09-25
Extracted From: Hemp

Test Reg State: Oregon

Order # CBD240925-010001
Order Date: 2024-09-25
Sample # AAFZ538

Sampling Date: 2024-09-25
Lab Batch Date: 2024-09-25
Completion Date: 2024-09-30

Volume: 500 ml

Number of Units: 3
Net Weight per Unit: 500000.000 mg



Product Image

Potency 11 (LCMS)
Tested

Potency 11 - (LCMS)

Specimen Weight: 1530000.000 mg

Tested
SOP13.052 (LCMS)

Analyte	Dilution (1:n)	LOD (%)	LOQ (%)	Result (µg/ml)	(%)
CBD	8.000	3.37E-7	7.5E-5	20.810	0.002081
CBC	8.000	1.94E-6	7.5E-5	<LOQ	<LOQ
CBDA	8.000	7.78E-8	7.5E-5	<LOQ	<LOQ
CBDV	8.000	9.80E-8	7.5E-5	<LOQ	<LOQ
CBG	8.000	4.00E-7	7.5E-5	<LOQ	<LOQ
CBGA	8.000	4.71E-8	7.5E-5	<LOQ	<LOQ
CBN	8.000	1.25E-6	7.5E-5	<LOQ	<LOQ
Delta-8 THC	8.000	8.36E-7	7.5E-5	<LOQ	<LOQ
Delta-9 THC	8.000	2.98E-5	7.5E-5	<LOQ	<LOQ
THCA-A	8.000	1.51E-7	7.5E-5	<LOQ	<LOQ
THCV	8.000	1.24E-6	7.5E-5	<LOQ	<LOQ
Total Active CBD	8.000			0.021	0.002081
Total Active THC	8.000			<LOQ	<LOQ

Potency Summary

Total Active THC - ND	Total Active CBD 0.00208% 10.405mg
Total CBG - ND	Total CBN - ND
Total Cannabinoids 0.00208% 10.405mg	

Aixia Sun Lab Director/Principal Scientist
D.H.Sc., M.Sc., B.Sc., MT (AAB)

Definitions and Abbreviations used in this report: Total Active CBD = CBD + (CBD-A * 0.877), *Total CBDV = CBDV + (CBDVA * 0.867), Total Active THC = THCA-A * 0.877 + Delta 9 THC, Total THCV = THCV + (THCVA * 0.87) , CBG Total = (CBGA * 0.878) + CBG, CBN Total = (CBNA * 0.876) + CBN, Total CBC = CBC + (CBCA * 0.877), Total THC-O-Acetate = Delta 8 THC-O-Acetate + Delta 9 THC-O-Acetate, Total THCP = Delta8-THCP + Delta9-THCP, Total Cannabinoids = Total percentage of cannabinoids within the sample. (mg/ml) = Milligrams per Milliliter, LOQ = Limit of Quantitation, LOD = Limit of Detection, Dilution = Dilution Factor, (ppb) = Parts per Billion, (%) = Percent, (cfu/g) = Colony Forming Unit per Gram, (µg/g) = Microgram per Gram, (ppm) = Parts per Million, (ppm) = (µg/g), (aw) = Water Activity, (mg/Kg) = Milligram per Kilogram. ACS uses simple acceptance criteria. Passed – Analyte/microbe is not detected or is at the level below the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400. Failed – Analyte/microbe is at the level that equal or above the action limit per OR rule OAR 333-007-0390, OAR 333-007-0400 Sample not received via laboratory sampling.

This report shall not be reproduced, without written approval, from ACS Laboratory. The results of this report relate only to the material or product analyzed. Test results are confidential unless explicitly waived otherwise. ACS Laboratory is accredited to the ISO/IEC 17025:2017 Standard.

QA By: 1057 on 2024-09-30 18:36:07 V1